

D. IO. HIERON. KNIPHOFII

PATHOL. ET PRAX. IN ACAD. ERFVRT.
PROF. PVBL. ORDIN. FACVLT. MED. SENIOR.
ET ADSESS. PRIM. ACAD. CAES. NAT. CVRIOSOR.
ADIVNCTI ET BIBLIOTHECARIJ,

BOTANICA IN ORIGINALI

SEV

HERBARIVM VIVVM

IN QVO

PLANTARVM TAM INDIGENARVM
QVAM EXOTICARVM

PECVLIARI QVADAM OPEROSAQVE ENCHIRESI
ATRAMENTO IMPRESSORIO OBDVCTARVM
NOMINIBVSQVE SVIS

AD METHODVM

ILLVSTRIVM NOSTRI Aevi BOTANICORVM
LINNAEI ET LVDWIGII

INSIGNITARVM

ELEGANTISSIMA ECTYPA EXHIBENTVR

OPERA ET STUDIO

IOANNIS GODOFREDI TRAMPE
TYPOGRAPHI HALENSIS.

CENTVR. XII. ET VLT.

HALAE MAGDEBVRGICAE,
MDCCLXIV.





Verzeichnis

derer in der XII^{ten} und letzten Centurie befindlichen Pflanzen.

- | A. | C. |
|--|---|
| 1. Acer Platanoides. | 20 Cardamine pratensis. <i>Gauchblume.</i> |
| Aethusa Cynapium. <i>Gleifs. Hunds-</i>
<i>petersilien.</i> | Carex humilis. |
| Agrostemma Coronaria. <i>Rosenlychnis.</i> | Cassia marilandica. |
| Alisma Plantago aquatica. <i>Wasser-</i>
<i>wegerich.</i> | Caucalis leptophylla. |
| 5 Alopecurus monspeliensis. | 25 Cerastium repens. |
| • • • paniceus. | Cheiranthus annuus. <i>Sommerleukoje.</i> |
| Alyssum calycinum. | Cistus Helianthemum. |
| Anagallis latifolia. <i>Breitblättriger</i>
<i>Gauchheil.</i> | • • hirtus. |
| Andropogon Ischaemum. | Cnicus oleraceus. |
| 10 Anthemis tinctoria. | 30 Colchicum autumnale. <i>nackende Hure.</i> |
| Anthericum Liliago. | Conuoluulus aruensis. <i>Ackerwinde.</i> |
| • • • ramosum. | • • • hederaceus. <i>Winde mit</i>
<i>Epheublättern.</i> |
| Antirrhinum Orontium. <i>Dorant.</i> | • • • sepium. <i>Zaunwinde.</i> |
| | Coreopsis Bidens. |
| | 35 • • • tripteris. |
| | Cucubalus Behen. <i>Wiederstoss.</i> |
| | • • • Otites. <i>Ohrlöfleinkraut.</i> |
| | D. |
| | Digitalis lutea. <i>gelber Fingerhut.</i> |
| | Dipsacus fullonum. <i>Kartendistel.</i> |
| | 40 • • • laciniatus. |

E. Euphor.



E.

Euphorbia cyparissias. *Wolfsmilch.*
- - - dulcis.
- - - helioscopia.
Euphrasia Odontites.

F.

45 Filago maritima.
Fontinalis antipyretica.

G.

Galieopsis Ladanum.
Galium saxatile.
Genista germanica. *teutsche Pflaumen.*
50 Gnaphalium margaritaceum.
Gypsophila muralis.

H.

Helleborus foetidus. *Stinkende Nieswurz.*
- - - ejusdem folium.
Helianthus annuus. *Sonnenblume.*
55 - - - multiflorus.
- Hieracium amplexicaule.
Holeus spicatus.

I.

Iasione montana.
Iberis semperflorens.
60 Illecebrum verticillatum.
Impatiens Balsamina. *Balsamine.*
Inula dysenterica.
- - - hirta.
Isatis tinctoria. *Weid.*
65 Isopyrum fumarioides.
Iuncus campestris.

L.

Lichen hirtus.
- - - prunastri.
Lychnis Viscaria. *Pechnelke.*

M.

70 Melianthus maior.
Mnium polytrichoides.

P.

Panicum capillare.
Paris quadrifolia. *Einbeer.*
Paspalum dissectum.
75 Phaseolus vulgaris coccineus.
Schminckbobne.
Polyanthes tuberosa. *Tuberose.*
Polygonum diuaticatum.
Polypodium Dryopteris.
Polytrichum commune. *Gulden Wiedertbon.*

80 Potentilla fragarioides.
Pforalea pinnata.

R.

Ranunculus aruensis. *Ackerranunkel.*
Rhinanthus Crista galli. *Habnenkamm.*
Rheum palmatum.

S.

85 Scabiosa columbaria. *Taubenscabiose.*
Scirpus maritimus. *Seebinsen.*
- - - sylvaticus. *Waldbinsen.*
Silene lusitanica.
- - - viridiflora.
90 Sifymbrium amphibium aquaticum.
Wasserrettich.
- - - - - terrestre.
- - - Loefelii.
- - - sylvestre.
Sophora alopecuroides.
95 Sparganium erectum. *Schwertel.*

T.

Tordylium apulum.

V.

Verbascum Blattaria alba. *Schaberkraut.*
- - - phoeniceum.
Verbena supina.

Z.

100 Zinnia multiflora.





$\frac{12.}{1}$ ACER foliis quinquelobis acuminatis acute dentatis
glabris, floribus corymbosis. *Linn. spec.* 1055.
Ludw. D. G. P. 726.
Plantanoides.





$\frac{12.}{2.}$ AETHUSA. *Linn. spec.* 2. 367.
Ludw. D. G. P. 874.
Cynapium.

1874
1875
1876
1877
1878
1879
1880
1881
1882
1883
1884
1885
1886
1887
1888
1889
1890
1891
1892
1893
1894
1895
1896
1897
1898
1899
1900



$\frac{12.}{3.}$ AGROSTEMMA tomentosa, foliis ovato-lanceolatis;
petalis integris coronatis. *Linn. spec.* 436.
Lychnis. *Ludw. D.G. P.* 757.
Coronaria.

THE UNIVERSITY OF CHICAGO
LIBRARY
540 EAST 57TH STREET
CHICAGO, ILL. 60637
1968



$\frac{12}{4}$. ALISMA foliis ovatis acutis, fructibus obtuse trigonis.
Linn. Spec. 342.
Damafonium. *Ludw. D. G. P.* 502.
Plantago aquatica.





$\frac{12}{5}$ ALOPECURVS panicula subspicata, glumis scabris,
corollis aristatis. *Linn. spec.* 2. 89.
Ludw. D. G. P. 1050.
- - - - - monspeliensis.

111.2





$\frac{12.}{6}$ ALOPECURVS panicula subpicata, glumis villosis,
corollis aristatis. *Lin. spec.* 2. 90.
Ludw. D. G. P. 1050.
- - - - - paniceus.

1112

THE UNIVERSITY OF CHICAGO
LIBRARY



$\frac{12}{7}$ ALYSSVM caulibus herbaceis, staminibus omnibus
dentatis, calycibus persistentibus. *Linn. spec.* 2. 908.
Ludw. D. G. P. 554.
- - - calycinum.

ALYSSUM caeruleum L. var. caeruleum
Linn. D. C. P. 534
Linn. D. C. P. 534




$\frac{12}{8}$ ANAGALLIS foliis cordatis amplexicaulibus, caulibus compressis. *Linn. spec.* 149.
Ludw. D. G. P. 69.
- - - - - latifolia.





$\frac{12.}{9.}$ ANDROPOGON spicis digitatis plurimis, flosculis
fessilibus: aristato muticoque, pedicellis lanatis.
Linm. spec. 1047. *Ludw. D.G.P.* 1066.
Ischaemum.

THE UNIVERSITY OF CHICAGO
LIBRARY
540 EAST 57TH STREET
CHICAGO, ILL. 60637
UNIVERSITY OF CHICAGO PRESS



$\frac{12}{10}$

ANTHEMIS foliis bipinnatis ferratis subtus tomentosis, caule corymbofo. *Linm. spec.* 896.
Chamaemelum. *Ludw. D. G. P.* 464.
- - - - - tinctoria.

THE UNIVERSITY OF CHICAGO
LIBRARY
540 EAST 57TH STREET
CHICAGO, ILL. 60637



$\frac{12}{11}$ ANTHERICVM foliis planis, scapo simplicissimo.
Linm. spec. 310.
Phalangium. *Ludw.* D. G. P. 899

Liliago.





12
12

ANTHERICVM foliis planis, scapo ramofo, corollis
planis. *Linn. spec.* 310.
Phalangium. *Ludw. D. G. P.* 899
ramosum

THE UNIVERSITY OF CHICAGO
LIBRARY
540 EAST 57TH STREET
CHICAGO, ILL. 60637



$\frac{12}{13}$ ANTIRRHINVM floribus ecaudatis, calycibus corolla
longioribus. *Lim. spec.* 617. *Ludw.* D. G. P. 331.
- - - orontium.



Faint, illegible text at the bottom of the page, possibly a signature or a note.



12
14.

BETA *Linn. spec.* 222. variet. *s.*
Ludw. D. G. P. 974.
- - - *rubra. officin.*



Faint, illegible text at the bottom of the page, possibly a signature or date.



$\frac{12.}{13}$ BETVLA foliis ovatis acuminatis ferratis.
Linn. spec. 982. Ludw. D. G. P. 1108.
- - - - - alba.

Handwritten text at the bottom of the page, likely bleed-through from the reverse side. The text is faint and difficult to decipher but appears to contain several lines of cursive script.



$\frac{12}{16}$ BISCUTELLA calycibus nectario vtrinque gibbis,
filiculis in stylum coeuntibus. *Linn. spec.* 2. 911.
Ludw. D. G. P. 545.
... auriculata.

At the
... ..
... ..
... ..



12.
17.

BRASSICA foliis dentato-pinnatifidis, caule hispido;
filiis laevibus. *Linm. spec.* 667.
Ludw. D. G. P. 531.

Erucastrum.

THE UNIVERSITY OF CHICAGO
LIBRARY
540 EAST 57TH STREET
CHICAGO, ILL. 60637



$\frac{12}{18}$ BRASSICA radice caulescente tereti carnosa.
Linn. spec. 667. variet., *Ludw. D. G. P.* 531.
- - - - - oleracea botrytis.




Original of the 2nd copy of the 1st edition
of the 1st volume of the 1st series
of the 1st part of the 1st volume



$\frac{12}{19}$ BUPLEVRVM inuolucellis pentaphyllis acutis; vniuersali subpentaphyllo, foliis lanceolatis, caule flexuoso. *Lin. spec.* 341.
Ludw. D. G. P. 867.
- - - - - falcatum.

THE UNIVERSITY OF CHICAGO
LIBRARY
540 EAST 57TH STREET
CHICAGO, ILL. 60637
TEL. 773-936-3200



12
20.

CARDAMINE foliis pinnatis: foliolis radicalibus sub-
rotundis; caulinis lanceolatis. *Linm. spec.* 656.
variet. α . *Ludw. D. G. P.* 540.
- - - - pratensis.

THE UNIVERSITY OF CHICAGO
LIBRARY
540 EAST 57TH STREET
CHICAGO, ILL. 60637



$\frac{12}{21}$ CAREX spica mascula oblonga, femineis remotis sub-
pedunculatis serioribus subbifloris. *Fl. bal.* 845.
Ludw. D. G. P. 1095.
* - - - humilis.

THE UNIVERSITY OF CHICAGO
LIBRARY
540 EAST 57TH STREET
CHICAGO, ILL. 60637




$\frac{12}{22}$.

CASSIA foliolis octouugatis ovato-oblongis, aequalibus, glandula baseos petiolorum. *Linm. spec.* 378.
Ludw. D. G. P. 822.
- - - marilandica.

THE UNIVERSITY OF CHICAGO
LIBRARY
540 EAST 57TH STREET
CHICAGO, ILL. 60637



$\frac{12.}{23.}$ CAVCALIS feminum aculeis triglochidibus vncinatis:
pilis verticillatis hispidis. *Linn. spec.* 242.
Ludw. D. G. P. 846.
- - - - - leptophylla.





12.
24.

CENTAVREA calycibus inermibus subrotundis glabris: squamis ovatis, foliis lyrato-dentatis.
Linn. spec. 2. 1286. variet. c. Ludw. D. G. P. 479.


- - - - moschata.

Cyanus floridus odoratus turcicus, siue orientalis maior, flore albo. *Tournef. inst. 446.*

THE UNIVERSITY OF CHICAGO
LIBRARY
540 EAST 57TH STREET
CHICAGO, ILL. 60637
U.S.A.




$\frac{12.}{25.}$ CERASTIVM foliis lanceolatis, pedunculis ramosis,
capsulis subrotundis. *Lin. spec.* 439.
Ludw. D. G. P. 754.
- 2 5 4 - - repens.






12
26.

CHEIRANTHVS foliis pinnatis subdentatis obtusis
incanis, filiquis cylindricis apice acutis, caule
herbaceo. *Linn. Spec.* 2. 925. *Ludw. D. G. P.* 537.
annuus.





12.
27.

CISTVS suffruticosus procumbens, stipulis lanceolatis,
foliis oblongis revolutis subpilosis.

Linn. spec. 528.

Helianthemum. Ludw. D. G. P. 769.



HERBARIUM, AMEN. D. C. N. Y.
1850
This plant is from the
Herb. of the University of
Cambridge.



$\frac{12.}{28.}$ CISTVS suffruticosus stipulatus, foliis ovatis, calycibus
hispidis. *Linm. spec.* 2. 744.
Helianthemum. *Ludw. D. G. P.* 769.
- - - - hirtus.


Handwritten text at the bottom of the page, possibly a signature or date, which is extremely faint and illegible.



12
29

CNICVS foliis pinnatifidis carinatis nudis, bracteis sub-
coloratis integris concauis: *Linn. spec.* 2. 1156.
Ludw. D. G. P. 413.
- * - - oleraceus.

Faint, illegible text at the bottom of the page, possibly bleed-through from the reverse side.



12.
30.


COLCHICVM foliis planis lanceolatis erectis.

Lin. spec. 341. variet. α .

Ludw. D. G. P. 181.

- - - - -
autumnale.


THE UNIVERSITY OF CHICAGO
LIBRARY
540 EAST 57TH STREET
CHICAGO, ILL. 60637



$\frac{12}{31}$ CONVOLVULVS foliis sagittatis vtrinque acutis, pedunculis unifloris. *Linn. spec.* 2. 218.
Ludw. D.G. P. 105.
.....
arvensis.



LONICERA folia (L.) ...
L. ...
L. ...
L. ...



$\frac{12}{32}$ CONVOLVULUS foliis cordatis integris trilobisque,
corollis indivisis, fructibus erectis.
Lin. spec. 2. 219. *Ludw.* D. G. P. 105.
- - - - - hederaceus.





$\frac{12}{33}$ CONVOLVULVS foliis sagittatis postice truncatis,
pedunculis tetragonis unifloris. *Linm. spec.* 2. 218.
Ludw. D. G. P. 105.
- - - - sepium.



COMPTON'S PATENT TYPE-SETTING MACHINE
PRINTED AND PUBLISHED BY
J. B. LIPPINCOTT & CO., PHILADELPHIA, PA.
1880



12
31

COREOPSIS foliis lanceolatis serratis oppositis ample-
xicaulibus. *Lin. spec.* 2. 1281.
Bidens. Ludw. D. G. P. 475.

THE UNIVERSITY OF CHICAGO
LIBRARY
540 EAST 57TH STREET
CHICAGO, ILL. 60637
TEL. 773-936-3200



72
35

COREOPSIS foliis subternatis integerrimis.
Linn. spec. 2. 1282. Ludw. D. G. P. 475.
- - - - - tripteris.

THE UNIVERSITY OF CHICAGO
LIBRARY



12
36 CVCVBALVS calycibus subglobosis glabris reticulato-
venosis, capsulis trilocularibus, corollis
subnudis. *Linm. spec.* 2. 591. variet. α .
Lychnis. *Ludw. D. G. P.* 757.

Behen.





12
37

CVCVBALVS floribus dioicis: petalis linearibus indivi-
visis. *Lam. Spec. 2. 595.*
Lychmis. Ludw. D.G. P. 757.

Otites.



Faint, illegible text at the bottom of the page, possibly a title or description of the plant.



12
33


DIGITALIS foliolis calycinis lanceolatis, corollis acutis: labio superiore bifido. *Linn. spec. 2.* 867.
Ludw. D. G. P. 332.
- - - - - lutea.

Digitaria foliis calycis ternatis
Linn. D. C. P. 232
Linn.



^{12.}
_{39.} DIPSACVS foliis sessilibus ferratis. *Linn. spec.* 2. 140.
variet. β. *Ludw. D. G. P.* 376.
- - - - - fullonum.


THE UNIVERSITY OF CHICAGO
LIBRARY



^{12.}₄₀ DIPSACVS foliis connatis laciniatis. *Linn. Spec. 2. 141.*
Ludw. D. G. P. 376.
- - - - - laciniatus.

IV. 1

1870
1871
1872
1873
1874
1875
1876
1877
1878
1879
1880



$\frac{12}{41}$ EUPHORBIA umbella multifida: dichotoma, inuolucellis subcordatis, ramis sterilibus; foliis fetaceis, caulinis lanceolatis. *Linn. spec.* 2. 661. *Ludw. G.P.* 232. Cypariffias.


Faint, illegible text at the bottom of the page, possibly bleed-through from the reverse side.



$\frac{12}{42}$ EUPHORBIA umbella quinquefida: bifida, inuolucellis subovatis, foliis lanceolatis obtusis integerrimis. *Linn. spec.* 2. 656. *Ludw. D. G. P.* 232.
- - - -
dulcis.



1875
The
1875




12.
43. EUPHORBIA umbella quinquefida: trifida: dichotoma, involucellis obovatis, foliis cuneiformibus ferratis. *Linn. spec.* 459. *Ludw. D. G. P.* 232.
Helioscopia.



Faint, illegible text at the bottom of the page, possibly a title or description of the plant. The text is mirrored and appears to be bleed-through from the reverse side of the paper. It is located in the lower-left and lower-right areas of the page.



12
44. **EUPHRASIA** foliis linearibus: omnibus ferratis.
Linn. spec. 2. 841. Ludw. D. G. P. 330.
Odontites.




THE UNIVERSITY OF CHICAGO
LIBRARY



$\frac{12.}{45.}$ FILAGO tomentosa, corymbo subramoso, foliis oblongis obtusis crenatis. *Linn. spec.* 927.
Ludw. D.G.P. 391.
- - - - - maritima.





$\frac{12}{40}$ FONTINALIS foliis complicato-carinatis trifariis acutis, antheris lateralibus. *Linn. spec.* 1107.
Ludw. D.G.P. 1213.
- - - - - antipyretica.


ROYALTY'S (with complete) cabinet table
the cabinet table. The
LONDON, O.P. 1852.
antiq. socy.




$\frac{12}{47}$ GALEOPSIS internodiis caulinis aequalibus, verticill-
lis omnibus remotis. *Linm. spec.* 2. 810.
Ludw. D.G.P. 272.

Ladanum.





$\frac{12}{48}$ GALIVM foliis fenis obouatis obtufis, caule ramofis-
fimo procumbente. *Linn. spec.* 2. 154.
Gallium. *Ludw. D. G. P.* 13.
- - - - - faxatile.





$\frac{12}{49}$ GENISTA spinis compositis, ramis floriferis inermibus,
foliis lanceolatis. *Linn. spec.* 2. 999.
Ludw. D. G. P. 657.
- - - - - germanica.



Handwritten text at the bottom of the page, likely a signature or a note, which is mostly illegible due to fading. The text appears to be arranged in several lines, possibly including a name and a date or location.



12
50 GNAPHALIVM herbaceum, foliis lineari-lanceolatis
acuminatis alternis, caule superne ramoso,
corymbis fastigiatis. *Linm. spec.* 2. 1198.
Ludw. D. G. P. 403.
- - - - - margaritaceum.

THE UNIVERSITY OF CHICAGO
LIBRARY
540 EAST 57TH STREET
CHICAGO, ILL. 60637
1968



$\frac{12}{51}$

GYPSOPHILA foliis linearibus planis, calycibus
aphyllis, caule dichotomo, petalis crenatis.

Linn. spec. 2. 583.

Saponaria. *Ludw.* D. G. P. 746.

----- muralis.




THE UNIVERSITY OF CHICAGO
LIBRARY
300 SOUTH EAST ASIAN BUILDING
CHICAGO, ILL. 60607
1950



12
52 HELLEBORVS caule multifloro folioso, foliis pedatis.
Lin. spec. 2. 784. Ludw. D. G. P. 812.
foetidus.

THE UNIVERSITY OF CHICAGO
LIBRARY



12
53

HELLEBORVS caule multifloro folioso, foliis pedatis:
Lim. spec. 2. 784. Ludw. D. G. P. 812.
- - - - - foetidus.


THE UNIVERSITY OF CHICAGO
LIBRARY
540 EAST 57TH STREET
CHICAGO, ILL. 60637
TEL: 773-936-3000



12
27

HELIANTHVS foliis omnibus cordatis trineruatis,
floribus cernuis. *Linn. spec.* 2. 1276.
Ludw. D. G. P. 466.
annuus.






12
95 HELIANTHVS foliis inferioribus cordatis trineruatis:
superioribus ovatis. *Linn. spec.* 2. 1277.
Ludw. D. G. P. 466.
- - - - - multiflorus.



Herbarium of the University of California
Berkeley, California
No. 10000



$\frac{12}{56}$

HIERACIVM foliis amplexicaulibus cordatis subdentatis, pedunculis unifloris hirsutis, caule ramoso. *Linm. spec.* 2. 1129. variet. β .
Ludm. D. G. P. 436.
..... amplexicaule.




Very faint, illegible text at the bottom of the page, likely bleed-through from the reverse side of the paper. The text is too light to read accurately but appears to be organized into several lines.



⁸²
₅₇ HOLCVS glumis bifloris muticis, floribus geminis penicillo inuolucratis, spica ovato-oblonga.
Lin. spec. 2. 1483. *Ludw. D. G. P.* 1065.
- - - - spicatus.

Faint, illegible text at the bottom of the page, possibly bleed-through from the reverse side.




$\frac{12}{58}$ IASIONE *Linm. spec. 2. 1317.*
Ludw. D. G. P. 101.
- - - - - montana.

THE
LIBRARY OF THE
MUSEUM OF
COMPARATIVE ZOOLOGY
AND ANATOMY
HARVARD UNIVERSITY
CAMBRIDGE, MASS.




$\frac{12}{19}$ **IBERIS** frutescens, foliis cuneiformibus integerrimis
obtusis. *Linn. spec.* 648. *Ludw. D. G. P.* 546.
- - - semperflorens.





$\frac{12}{66}$ ILLECEBRVM floribus verticillatis nudis, caulibus
procumbentibus. *Linn. spec. 2. 298.*
Ludw. D. G. P. 970.
::: A :: - - verticillatum.





12
61 IMPATIENS pedunculis unifloris subaggatis, foliis lanceolatis: superioribus alternis, nectariis flore brevioribus. *Linn. spec.* 2. 1328.
Balsamina. *Ludw.* D. G. P. 607.



Very faint, illegible text at the bottom of the page, possibly bleed-through from the reverse side. The text is arranged in several lines and is too light to read accurately.



$\frac{12}{62}$ INVLA foliis amplexicaulibus cordato-oblongis subto-
mentosis, caule villoso paniculato, squamis
calycinis setaceis. *Linn. spec.* 2. 1237.
Enula. *Ludw. D. G. P.* 458.
- - - - -
dysenterica.





12
63.

INVLA foliis sessilibus lanceolatis recurvatis subserrato-
scabris, floribus inferioribus altioribus, caule
teretiufculo subpiloso. *Linn. spec.* 2. 1239.
Enula. *Ludw. D. G. P.* 458.
- - - - hirta.



1871
No. 100
P. 100
1871



12
64 ISATIS foliis radicalibus crenatis: caulinis sagittatis,
filiculis oblongis. *Linm. spec.* 2. 936. variet. β .
Ludw. D. G. P. 527.
- - - tinctoria.

1875
No. 1
1875



$\frac{12}{65}$ ISOPYRVM stipulis fubulatis, petalis acutis.
Linm. spec. 2. 783.
Helleborus. *Ludw. D. G. P.* 812.
- - - - - fumarioides.

1870
1871
1872
1873
1874
1875
1876
1877
1878
1879
1880





$\frac{12}{66}$

IVNCVS foliis planis subpilosis, spicis sessilibus pedunculatisque. *Lin. spec.* 2. 468. variet. α .

Lindl. D. G. P. 986.


- - - - campestris.






12
67 LICHEN filamentosus ramosissimus erectus, tuberculis
farinaceis sparsis. *Linn. spec.* 1155.
Lichenoides. *Ludw. D.G.P.* 1205.
- - - - hirtus.

THE UNIVERSITY OF CHICAGO
LIBRARY
540 EAST 57TH STREET
CHICAGO, ILL. 60637




$\frac{12}{68}$ LICHEN foliaceus erectiusculus lacunofus: subtus
tomentosus albus. *Linn. spec.* 1147.
Lichenoides. *Ludw. D.G.P.* 1205.
- - - - Prunastri.

1870
1871
1872
1873
1874
1875
1876
1877
1878
1879
1880



$\frac{12}{69}$ LYCHNIS petalis integris. *Linnaeus Spec. 2. 625.*
Ludw. D. G. P. 757.
Viscaria.



1871
Linn. H. C. P. 1871



12.
40

MELIANTHVS stipulis folitariis petiolo adnatis.
Lim. spec. 2. 892. Ludw. D. G. P. 605.
- - - - - maior.




Handwritten text at the bottom of the page, appearing to be a signature or a set of initials, possibly including the name "J. G. G." and a date or reference number.



$\frac{12}{71}$ MNIVM calyptra villosa. *Linm.* S.P. 1112. variet. α .
Ludw. D. G. P. 1211.
- - - polytrichoides.


THE UNIVERSITY OF CHICAGO
LIBRARY



$\frac{12}{72}$ PANICVM panicula capillari erecta patente, caule
hirto. *Linn. spec.* 2. 86. *Lindm. D.G.P.* 1033.
- - - - - capillare.



THE UNIVERSITY OF CHICAGO
LIBRARY
520 EAST 5TH STREET
CHICAGO, ILL. 60607



$\frac{12}{73}$ PARIS. *Lin. spec.* 367.
Ludw. D. G. P. 579.
- - - *quadrifolia.*





1000 2000



$\frac{12}{76}$ PASPALVM spicis alternis. rachis membranacea.
Linn. spec. 2. 81. Ludw. D. G. P. 1024.
- - - - - dissectum.

III. 2.






12
75

PHASEOLUS volubilis, floribus racemosis geminis,
bracteis calyce minoribus, leguminibus pendu-
lis. *Linn. spec. 2: 1016.* variet. β . *Ludw. D.G.P. 634*
- - - - vulgaris coccineus.

THE UNIVERSITY OF CHICAGO
LIBRARY
540 EAST 57TH STREET
CHICAGO, ILL. 60637



$\frac{12}{76}$ POLIANTHES. *Linn. spec.* 2. 453. variet β .
Ludw. D. G. P. 174.
- - - - -
tuberosa.


THE UNIVERSITY OF CHICAGO
LIBRARY




$\frac{12}{77}$


POLYGONVM floribus octandris trigynis racemosis,
foliis lanceolatis, caule diuatico patulo.
Linn. spec. 2. 520. Ludw. D. G. P. 995.
diuaticum.






$\frac{12}{78}$ POLYPODIVM frondē supradecomposita: foliolis ternis bipinnatis. *Linn. spec.* 1093. *Ludw. D. G. P.* 1190. Dryopteris.





12
79.


POLYTRICHUM caule simplici, anthera parallelepipedata. *Linm.* S.P. 1109. variet. 7.
Ludw. D. G. P. 1216.
- - - - - commune.






$\frac{12}{80}$ POTENTILLA foliis pinnatis, ternatisque, extimis
maioribus, flagellis reptantibus. *Linn. spec.* 496.
Ludw. D. G. P. 807.
- - - fragarioides.

THE UNIVERSITY OF CHICAGO
LIBRARY



$\frac{72}{81}$ PSORALEA foliis pinnatis linearibus, floribus axilla-
ribus. *Linn. spec.* 2. 1074. *Ludw. D. G. P.* 660.
- - - - - pinnata.





12
82 RANUNCULUS femibus aculeatis, foliis superiori-
bus decompositis linearibus. *Linn. spec.* 2. 780.
Ludw. D. G. P. 810.
- - - - aruensis.







$\frac{12}{83}$


RHINANTHVS corollam labio superiore compresso
breuiore. *Linn. spec.* 2. 840. variet. *a.*
Elephas. *Ludw. D.G.P.* 326.


Crista galli.






12 RHEVM foliis palmatis acuminatis. *Linm. spec.* 2. 531.
84 *Ludw. D. G. P.* 194.
- - - palmatum.





$\frac{12}{85}$ SCABIOSA corollulis quinquefidis radiantibus, foliis radicalibus ovatis drenatis, caulinis pinnatis fetaceis. *Linn. spec.* 2. 143. variet. β . *Ludw. D.G.P.* 379. columbaria.






$\frac{12}{86}$ SCIRPVS culmo triquetro, panicula conglobata folia-
cea, spicularum squamis trifidis: intermedia
fubulata. *Lin. spec.* 51. var. γ . *Ludw.* D.G.P. 1060.
maritimus.

Faint, illegible text at the bottom of the page, possibly bleed-through from the reverse side.



$\frac{112}{87}$ SCIRPVS culmo triquetro folioso, umbella foliacea,
pedunculis nudis supradecompositis, spicis con-
fertis. *Lim. spec.* 2. 75. *Ludw. D.G. P.* 1060.
- - - fyluaticus.

THE UNIVERSITY OF CHICAGO
LIBRARY



$\frac{12}{88}$ SILENE hirsuta, petalis dentatis coronatis, floribus
erectis, fructibus diuarcato-reflexis alternis.
Lin. syst. 10. p. 1031. *spec.* 416.
Lychnis. Ludw. D. G. P. 757.
- - - lusitanica.





$\frac{12}{89}$


SILENE petalis semilifidis, foliis ovatis scabriusculis
acutis, panicula elongata subaphylla. *Linn. spec.* 2.597.
Lychnis. *Ludw. D. G. P.* 757.
- - - viridiflora.

Very faint, illegible text at the bottom of the page, possibly bleed-through from the reverse side.



12
99

SISYMBRIVM filiquis declinatis oblongo-ouatis, foliis
pinnatifidis ferratis. *Linn. spec.* 2. 917. variet. β .
Ludw. D.G.P. 535.
- - - - - amphibium aquaticum.






12
91

SISYMBRIVM filiquis declinatis oblongo-ouatis, foliis
pinnatifidis ferratis. *Linn. spec.* 2. 917. variet. 2.
Ludw. D. G. P. 535.
- - - - - amphibium terrestre.





$\frac{12}{92}$

SISYMBRIVM foliis runcinatis acutis hirtis, caule retrorsum hispido. *Linn. spec.* 2. 921.

Ludw. D. G. P. 535.


Loefelii.






12
93

SISYMBRIVM filiquis declinatis, foliis pinnatis: folio-
lis lanceolatis serratis. *Linn. spec.* 2. 916.
Ludw. D.G.P. 535.
- - - - - fyluestre.






$\frac{12}{94}$ SOPHORA foliis pinnatis: foliolis numerosis oblongis
villofis. *Lim. spec.* 2. 533. *Ludw.* D. G. P. 662.
- - - - alopecuroides.






$\frac{12}{95}$

SPARGANIVM foliis erectis triquetris.
Linn. spec. 2. 1378. variet. α .
Ludw. D.G.P. 1101.
erectum.







$\frac{12}{96}$ TORDYLIVM umbellulis remotis, foliis pinnatis: pin-
nis subrotundis laciniatis. *Linn. spec.* 2. 345.
Ludw. D. G. P. 845.
apulum,



... ..
Linnæus
Linnæus
Linnæus
Linnæus
Linnæus



¹²
₉₇ VERBASCUM foliis amplexicaulibus oblongis glabris;
pedunculis solitariis. *Linn. spec.* 2. 254. variet. β.
Ludw. D. G. P 364.
Blattaria alba. Bauh. pin. 241.





$\frac{12}{98}$ VERBASCUM foliis ovatis crenatis radicalibus, caule
subnudo racemoso. *Linn. spec.* 2. 254.
Ludw. D. G. P. 364.
- - - - - phoeniceum.


THE UNIVERSITY OF CHICAGO
LIBRARY
540 EAST 57TH STREET
CHICAGO, ILL. 60637
U.S.A.



12 VERBENA tetrandra, spicis filiformibus solitariis, foliis
99 bipinnatifidis. *Linn. spec.* 2. 29. *Ludw. D. G. P.* 304.
- - - - - lupina.



Faint, illegible text or a signature, possibly a botanical name or a collector's mark, located at the bottom of the page.



12. ZINNIA floribus numerosis. *Linm. spec.* 2. 1269.
109. *Ludw. D. G. P.* 468.
multiflora.

